13:00 JUL-02-2002

ARTZ & ARTZ P.C.

#3/Election Hawkins OFFICE 7/3/02

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Ramaswamy, et al.

Group Art Unit: 2834

Serial No.: 09/848,491

Examiner: Joseph Waks

Filed: May 3, 2001

For:

METHOD AND APPARATUS FOR CONTROLLING THE ENGINE IDLE SPEED IN A HYBRID ELECTRIC VEHICLE

Attorney Docket No.: 200-0294 (FGT 1384 PA)

I hereby certify that this correspondence is being sent via facsimile to: Attn: Examiner Joseph Waks, Box Non-Fee Amendment, Assistant Commissioner for Patents, Washington, D.S. 20231 fax number (703) 872-9318 on:

July 2, 2002 Date of Deposit Angle Moscowitz

AMENDMENT IN RESPONSE TO ELECTION/RESTRICTIONS OFFICE ACTION

FAX COPY RECEIVED

2 2002 JUL

Assistant Commissioner for Patents Washington, D.C. 20231

TECHNOLOGY CENTER 2800

Dear Sir:

This paper responds to the Office Action in the above-entitled application, mailed June 26, 2002. This response is timely because it is being filed within the onemonth time period set for a response.

JUL-02-2002 13:00 U.S.S.N. 09/848,491 ARTZ & ARTZ P.C.

P.03/03 248 223 9522 200-0294 (FG1 1384 PA)

## REMARKS

Claims 1-16 are currently pending in the above application.

On page two, paragraph one of the Office Action, restriction to one of the two provided inventions is required under 35 U.S.C. §121. Applicants respectfully traverse the Examiner's restriction. However, Applicants provisionally elect the Group I restriction as set forth below for examination at this time:

> Claims 1-11, 13, 15 and 16 drawn to a method of controlling an engine within a hybrid vehicle in I. response of engine and generator conditions, classified in class 290, subclass 20C.

The Examiner is invited to telephone the Applicants' undersigned attorney at (248) 223-9500 if any unresolved matters remain.

Respectfully submitted,

ARTZ & ARTZ, P.C.

Steven W. Hays

Reg. No. 41,823

28333 Telegraph Road

Suite 250

Southfield, MI 48034

(248) 223-9500

Date: July 2, 2002

FAX COPY RECEIVED

JUL 2 2002

TECHNOLOGY CENTER 2800